



**TruWood**<sup>®</sup>  
Collins Products LLC SIDING | TRIM

## TRUWOOD CEDAR SHAKE LAP SIDING

When only the look of cedar will do, TruWood Cedar Shake Lap Siding offers an alternative that's beautiful, rugged and cost-effective. You won't find any checks, cracks or surface variations in our TruWood Cedar Shake 7/16 in and 1/2 in Lap Siding. What you will find: the distinctive look of hand-split cedar shakes with a beautiful, finished appearance that lasts. Our Cedar Shake Lap Siding offers Tru character, Tru wood appeal and smooth, uniform paint application. No defects, hassles or high costs. Just Tru beauty.

### FEATURES/BENEFITS

- Quality engineered surface and core
- 30-year limited warranty
- Pre-primed for improved weatherability
- 16 ft lengths
- Choice of self-aligning or bevel profile
- Matching reversible TruWood Trim
- Installs 25-40% faster than cement or vinyl sidings
- Use for residential single-family, multi-family housing, remodeling and light commercial projects
- Easy and safe to install using normal woodworking tools. No silica dust.
- Ask us about our FSC<sup>®</sup> products


TREATED WITH

**EcoGuard**<sup>®</sup>


ZINC BORATE

- Resists mildew, rot and termite damage
- Naturally-occurring additive safe for use around children and pets

**BEVEL EDGE  
CEDAR SHAKE  
7/16 in LAP SIDING**



**SELF-ALIGNING  
CEDAR SHAKE  
1/2 in LAP SIDING**



**SPECIFICATIONS:**

Lap Size	Pc/ Bundle	Pc/ Unit	Maximum Exposure in inches	Sq. Ft. Coverage Per Piece	Approx Coverage Sq. Ft./ Unit	Sq. Ft. Needed To Cover 1,000 Sq Ft. of Wall Area	Approx. Weight Lbs./Unit
7/16 in x 10-1/2 in x 16 ft	6	168	9-1/2	12.66	2022	1161	3900
1/2 in x 10-1/2 in x 16 ft	5	140	9-1/2	12.66	1685	1161	3900

\*Allows for a 1 in overlap and assumes a 5% waste factor.

**TruWood Siding and Trim meet the requirements of the following:**

- 2018 International Building Code
- 2018 International Residential Code
- ICC ESR-2588
- Federal Manufactured Housing Standards
- American National Standard ANSI-CPA 135.6 - 2012
- California Wildland-Urban Interface (WUI)

Fire rating = Class C  
R Value = 0.67 (hour) (Sq. Ft.) (Fahrenheit) per BTU  
7/16 in & 1/2 in Panel Siding = No Shear Value

**CAL. PROP 65 WARNING:** Use of this product may result in exposure to wood dust, known to the State of California to cause cancer.

TO FIND YOUR NEAREST DISTRIBUTOR, WARRANTY INFORMATION, INSTALLATION INSTRUCTIONS, CARE AND MAINTENANCE INSTRUCTIONS, A SIDING CALCULATOR, OR TO VIEW OUR PRODUCTS ON SAMPLE HOMES USING OUR VISUALIZER TOOL, HEAD TO **TruWoodSiding.com**. CAN'T FIND WHAT YOU NEED? **800.417.3674**

